

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	126	(select\$5 option\$2) with (receiv\$3 transmi\$6 provid\$3 present\$3) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:09
L2	63	1 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:09
L3	6	2 and "725"/\$.ccls	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:07
L4	27	(selectively option\$2) with (receiv\$3 transmi\$6 provid\$3 present\$3) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:09
L5	27	(selective\$2 option\$2) with (receiv\$3 transmi\$6 provid\$3 present\$3) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:16
L6	13	5 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:18
L7	191	(select\$5 option\$2) with (user\$1 viewer\$1 subscriber\$1 client\$1 customer\$1) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:17
L8	198	(select\$5 option\$4) with (user\$1 viewer\$1 subscriber\$1 client\$1 customer\$1) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:17
L9	117	(select\$5 option\$4) with (user\$1 viewer\$1 subscriber\$1 client\$1 customer\$1) with (advertis\$6 ad ads) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:36
L10	52	9 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:39
L11	180	(select\$5 option\$4) with (advertising advertisement\$1 advertise\$1 ad ads) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:58
L12	87	11 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 10:59

L13	79	(select\$5 option\$4) with (advertising advertisement\$1 advertise\$1 ad ads) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/10 11:00
L14	43	13 and (@ad<="20001030" @rlad<="20001030")	USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/10 11:02
L15	29	request\$3 with (user viewer client subscriber customer) with (advertising advertisement\$1 advertise\$1 ad ads) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/10 11:01
L16	116	request\$3 with (user viewer client subscriber customer) with (advertising advertisement\$1 advertise\$1 ad ads) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:15
L17	33	13 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:02
L18	64	16 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:18
L19	1	request\$3 with (user viewer client subscriber customer) with ((secondary supplemental) near3 (program\$4 content material)) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:16
L20	0	(select\$5 option\$4) with (user viewer client subscriber customer) with ((secondary supplemental) near3 (program\$4 content material)) with ("e-mail" email "electronic mail" "electronic message") with (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:17

L21	5	(select\$5 option\$4) same (user viewer client subscriber customer) same ((secondary supplemental) near3 (program\$4 content material)) same ("e-mail" email "electronic mail" "electronic message") same (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:18
L22	1	21 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:21
L23	5	(select\$5 option\$4) same ((secondary supplemental) near3 (program\$4 content material)) same ("e-mail" email "electronic mail" "electronic message") same (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:18
L24	14259	(select\$5 option\$4) same ("e-mail" email "electronic mail" "electronic message") same (provid\$3 send\$3 receiv\$3 transmi\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:19
L25	2251	(select\$5 option\$4) same ("e-mail" email "electronic mail" "electronic message") same ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:20
L26	788	(select\$5 option\$4) with ("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:22
L27	388	26 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:23
L28	14	27 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:21
L29	90	(select\$5 option\$4) with ("e-mail" email "electronic mail" "electronic message") with ("by" "via" "thru") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:29

L30	42	29 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:34
L31	788	(select\$5 option\$4) with ("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:48
L32	118	((system processor receiver microprocessor) near10 (select\$5 option\$4)) with ("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:59
L33	37	((system processor receiver microprocessor) near10 (select\$5 option\$4)) with ("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (promotion\$2 advertis\$6 (supplemental secondary) near3 (program\$4 content information)))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:48
L34	23	33 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:49
L35	6700	("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (program\$4 content material advertis\$6))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:48
L36	1329	("e-mail" email "electronic mail" "electronic message") with ((provid\$3 send\$3 receiv\$3 transmi\$5) near10 (promotion\$2 advertis\$6 (supplemental secondary) near3 (program\$4 content information)))	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/01/10 11:48
L37	629	36 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 12:02

L38	16	37 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:52
L39	0	37 and "755"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:52
L40	138	37 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 11:53
L41	76	((user viewer client customer subscriber) near3 (profile preference)) and ((select\$5 option\$4) with (present\$3 provid\$3) with ((secondary supplemental auxiliary additional) near4 (program\$4 content material))))	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:23
L42	41	41 and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 12:20
L43	63454	(advertis\$6 promotion ((secondary supplement) near3 (program\$3 content material)) with (asynchronous\$2 before after prior) with (view\$3 display\$3 present\$3)) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:10
L44	63433	(advertis\$6 promotion ((secondary supplement) near3 (program\$3 content material)) with (asynchronous\$2 before after prior) with (view\$3 display\$3 present\$3) with (movie primary)) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:10
L45	63431	(advertis\$6 promotion ((secondary supplement) near3 (program\$3 content material)) with (asynchronous\$2 before after prior) with (display\$3 present\$3) with (movie primary)) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:12
L46	1495	45 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:11

L47	942	(advertis\$6 promotion ((secondary supplement) near3 (program\$3 content material))) with (asynchronous\$2 before after prior) with (display\$3 present\$3) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:12
L48	875	(advertis\$6 ((secondary supplement) near3 (program\$3 content material))) with (asynchronous\$2 before after prior) with (display\$3 present\$3) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:12
L49	656	(advertis\$6 ((secondary supplement) near3 (program\$3 content material))) near10 (asynchronous\$2 before after prior) near10 (display\$3 present\$3) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:13
L50	440	((advertis\$6 ((secondary supplement) near3 (program\$3 content material))) near10 (asynchronous\$2 before prior) near10 (display\$3 present\$3)) and (@ad<="20001030" @rlad<="20001030")	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:13
L51	53	50 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 12:14
L52	67	((option\$4 selective\$2 choice) near10 (present\$3 provid\$3) near10 advertis\$6) and (@ad<="20001030" @rlad<="20001030") and "705"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT	OR	OFF	2005/01/10 12:22
L53	39	((user viewer client customer subscriber) near3 (profile preference)) and 52	US-PGPUB; USPAT	OR	OFF	2005/01/10 14:54
L54	60	((retriev\$3 restor\$3) near10 (configuration parameter) near10 (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) near10 transmi\$6)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:00
L55	27	54 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:12
L56	0	((retriev\$3 restor\$3) near10 (configuration parameter) near10 (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) near10 transmi\$6 near10 (transport\$3 characteristic))	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:02

L57	0	((retriev\$3 restor\$3) near10 (configuration parameter) near10 (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) with transmi\$6 with (transport\$3 characteristic))	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:02
L58	4	((retriev\$3 restor\$3) with (configuration parameter) with (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) with transmi\$6 with (transport\$3 characteristic))	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:04
L59	10	((retriev\$3 restor\$3) with (configuration parameter) with (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) with transport\$3)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:21
L60	2844593	59\ and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:12
L61	2	59 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:13
L62	497	((retriev\$3 restor\$3) with (start\$3 power\$3 "on state")) and ((chang\$3 modif\$5 adjust\$3) with transport\$3)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:12
L63	261	62 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:22
L64	75	63 and (airware cable satellite)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:15
L65	75	63 and (airware terrestrial cable satellite)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:15
L66	6	((retriev\$3 restor\$3) with (configuration parameter) with (start\$3 power\$3 "on state")) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:19
L67	355	((retriev\$3 restor\$3) with (start\$3 power\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:37
L68	269	((chang\$3 modif\$5 adjust\$3) with ((flow rate) near5 (data speed)) with transport\$3)	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:23
L69	0	67 and 68 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:26
L70	4	((chang\$3 modif\$5 adjust\$3) with ((flow rate) near5 (data speed)) with transport\$3) and ((retriev\$3 restor\$3) with (start\$3 power\$3))	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:25
L71	999	((chang\$3 modif\$5 adjust\$3) with ((flow rate) near5 (data speed))) and ((retriev\$3 restor\$3) with (start\$3 power\$3))	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:25

L72	557	71 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:40
L73	0	72 and trasport\$3	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:27
L74	117	72 and trasport\$3	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:28
L75	0	4 and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:29
L76	0	4 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:34
L77	0	4 and "375"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:34
L78	11	((retriev\$3 restor\$3) with (configuratio parameter module) with (start\$3 power\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:34
L79	14	((retriev\$3 restor\$3) with (configuration parameter module) with (start\$3 power\$3)) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:40
L80	22	((retriev\$3 restor\$3) with (configuration parameter module) with (start\$3 power\$3)) same transport\$3	US-PGPUB; USPAT	OR	OFF	2005/01/10 15:40
L81	14	80 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:35
L82	75	((retriev\$3 restor\$3) with (configuration parameter module) with (start\$3 power\$3)) and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:34
L83	34	82 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:54
L84	24832	(initializ\$5 same (start\$1up boot\$3 power\$3)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:55
L85	2737	(initializ\$5 same (start\$1up boot\$3 power\$3) same (configuration parameter)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:56
L86	16	(initializ\$5 same (start\$1up boot\$3 power\$3) same (configuration parameter) same (transmitter nic)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 16:57

L87	9	(initializ\$5 same (start\$1up boot\$3 power\$3) same ((configuration parameter) with (transmitter nic))) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:01
L88	850	(initializ\$5 start\$1up boot\$3 power\$3) same ((configuration parameter) with (retriev\$3 restor\$3)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:11
L89	850	(initializ\$5 start\$1up boot\$3 power\$3) same ((configuration parameter) with (retriev\$3 restor\$3)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:14
L90	641	(start\$1up boot\$3 power\$3) same ((configuration parameter) with (retriev\$3 restor\$3)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:14
L91	952	(start\$2 boot\$3 power\$3) same ((configuration parameter) with (retriev\$3 restor\$3)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:15
L92	81	((start\$2 boot\$3 reboot\$3 power\$3) same ((configuration parameter) with (retriev\$3 restor\$3)) same transmi\$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:42
L93	48	92 and ((network system) near3 transmi\$6)	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:34
L94	5	92 and "370"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:41
L95	20	((start\$2 boot\$3 reboot\$3 power\$3) near10 ((configuration parameter) near10 (retriev\$3 restor\$3)) same transmi\$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2005/01/10 17:42
L96	1	"6826778".pn.	USPAT	OR	OFF	2005/01/10 17:51